



4AA eLED Fire Light

High-Intensity Flashlight



4AA eLED Fire Light

High-Intensity Flashlight

High-Intensity Narrow Beam LED Flashlight

FEATURES

- LED will not break or burnout
- eLED power control circuit delivers constant brightness



Projection optics give you a precise beam



Ultra-high impact ABS construction

Twist On/Off Bezel



Easy load battery system

Passes 6' drop test

Mounts to all fire and work helmets

Limited lifetime warranty



Unique dual-element projection optics give you a precise spot without distracting spill

ACCESSORIES Sold Separately



14819
Universal
Helmet Clip



14851
Rylee Fire
Helmet Clip



14802
Stainless Fixed
Helmet Clip


Compact Smoke Penetrating LED Spot Light

- Features UK projection optics
- UK eLED technology produces constant brightness throughout battery life
- Rugged waterproof construction

SPECIFICATIONS

POWER	2 Watts
LAMP	High-Intensity White LED
BRIGHTNESS	40 Lumens (Max)
BATTERY	4 Alkaline AA/LR6 4 Lithium AA/LR1
BURN TIME	4-5 Hours (Alkaline) 9-10 Hours (Lithium)
SIZE:	6.7 x 1.6 x 1.4 Inches
WEIGHT	6.2 oz. (Alkaline) 4.9 oz. (Lithium)

IMPORTANT: READ ENCLOSED INSTRUCTIONS



UK UK International

Uncompromising performance since 1971™

13400 Danielson Street
Poway, CA 92064 USA
(858) 513-9100

www.ukinternational.com

© 2006 UK. All Rights Reserved. "UNDERWATER KINETICS," the UK logo and all product names and logos are trademarks of Underwater Kinetics.



WATERPROOF
UP TO 3 METERS
DUST PROOF

NON CONDUCTIVE
CORROSION PROOF

UK4AA eLED FIRE HELMET LIGHT

Congratulations on the purchase of your UK eLED Fire Light! Its powerful narrow beam with mini-size spill light provides maximum penetration in smoke and fog with a

Battery Installation

To install batteries, hold the case in the position shown. Drop 4 alkaline AA size batteries one by one into the case in the order shown. Make sure that the (+) end of the battery is down for 1 and 2 and up for batteries 3 and 4. Insert the lens, spring and lamp module into the bezel and screw it onto the case.

ON/OFF

Screw the bezel down by twisting clockwise until the lamp comes ON. Turn the light OFF with at least 1-1/2 counter-clockwise turns of the bezel.

Beam Penetration


The Projection Optics System projects a tight 13° beam with very little spill light outside of the beam. This reduces backscatter from smoke particles and allows better vision in light smoke areas. The high color temperature or daylight quality of the light beam allows light to travel farther than that which occurs with light from standard filament lamps.

eLED Lamp Module

The eLED module is an integrated unit. There are no replaceable parts. In addition to the LED itself, the module contains an electronic circuit which helps to

reliability far greater than standard xenon incandescent lights. The high intensity eLED lamp delivers constant brightness over the battery life.

maintain constant brightness as the batteries are discharged. Flashlights with standard filament lamps lose brightness steadily as the batteries are consumed.



O-Ring Seal

Lightly lubricate the O-ring with silicone grease. Do not use tools to remove the O-ring.

Pressure Equalizing Vent

Air and gas from battery leakage can pass freely in and out of the UK4AA through a vent in the rear of the light. Do not allow dirt or grease to accumulate on the vent or it will not operate

Care and Maintenance

- Keep area around the O-ring clean.
- If the light floods, empty it immediately, rinse with fresh water and dry completely before reassembly.
- Replace the reflector/lamp, which contains a hydrogen absorbing catalyst, if it gets wet.
- Do not store batteries in the light for long periods of time; they may leak and damage the light.


Limited Lifetime Warranty

UK International products are engineered for maximum performance and durability. All products carry a Limited Lifetime Warranty to the original retail purchaser to be free from defective material and workmanship under normal and intended use. In addition, the UK International Limited Warranty covers materials used in its products to the original purchaser, from the date of purchase, as follows: plastics for 10 years; fabrics and rubber for 3 years; rechargeable batteries for 90 days; and lamps for 30 days (batteries and lamps are not manufactured by UK International).

In the event the original retail purchaser detects a defect in the material or workmanship, the product along with proof of purchase date should be returned to an authorized UK International dealer or directly to UK International with the postage prepaid. UK International agrees to repair or replace at UK International's sole discretion any product found to be defective in material or workmanship within the time period specified above. For the complete Limited Lifetime Warranty write to UK International or check the website www.ukinternational.com.

Address all correspondence and returns to:

UK International
13400 Danielson Street
Poway, CA 92064 U.S.A
Phone: (858) 513-9100
e-mail:
info@ukinternational.com
[web: ukinternational.com](http://web:ukinternational.com)



Model Number: UK4AA-ELED FIRE

Bezel

Lens

Spring

14846
eLED Lamp Module

4 Alkaline AA-cell
batteries

O-Ring

Battery Insertion

The UK4AA eLED Fire will not light if the batteries are not inserted with the polarity as shown.

CAUTION

Batteries can vent hydrogen gas and possibly cause an explosion if they are (1) installed without the proper polarity, (2) not the same type, brand name and age or (3) completely discharged.

- > Load batteries according to the diagram.
- > Discard all batteries as soon as they are drained or no longer produce light.
- > Do not mix batteries of different type, brand or age.

UK P/N 400203 rev 6/15/06



© 2006 UK. All Rights Reserved. "UNDERWATER KINETICS," the UK logo and all product names and logos are trademarks of Underwater Kinetics.



RYLEE FIRE HELMET ACCESSORY CLIP

The UK4AA Rylee Fire Helmet Clip is made from high quality stainless steel for maximum durability. It is designed to be attached to the brim of a fire helmet or hard hat for hands-free lighting. The UK4AA light can be set-up for use above or below the brim.

Assemble the Helmet Clip as shown below. Snap the UK4AA light into the bracket. Push the clip onto the the rim of the helmet. Adjust the position of the light by moving the clip along the edge of the brim of the helmet. Lock the UK4AA light in place by tightening the UK Knob.



UK4AA eLED Fire Case

Vent

UK